



Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Instant Power® Septic System & Cesspool Treatment

Product Code • MSDS No: 1866

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Septic System Treatment

1.3 Details of the supplier of the safety data sheet

Manufacturer • Instant Power Corporation
1255 Viceroy
Dallas, TX 75247 United States
www.myinstantpower.com
mail@myinstantpower.com

Telephone (General) • 1-800-334-2077

EU Supplier • Robimatic Ltd.
Sandall Stones Road
Kirk Sandall Industrial Estate Doncaster, England DN3 1QR
United Kingdom

robimatic@polypipe.com

Telephone (General) • +44 (0) 1302-790-790

Fax • +44 (0) 1302-790-088

1.4 Emergency telephone number

- 1-800-424-9300 - CHEMTREC (USA)
- 1-703-527-3887 - CHEMTREC (International)

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Not classified

DSD/DPD • Not classified

2.2 Label Elements

CLP

Hazard statements • No label element(s) required

DSD/DPD

Risk phrases • No label element(s) required

2.3 Other Hazards

- CLP** • According to Regulation (EC) No. 1272/2008 (CLP) this material is not considered hazardous.
DSD/DPD • According to European Directive 1999/45/EC this preparation is not considered dangerous.
-

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012 • Not classified

2.2 Label elements

OSHA HCS 2012

Hazard statements • No label element(s) required

2.3 Other hazards

OSHA HCS 2012 • This product is not considered hazardous under the U.S. OSHA 29 CFR 1910.1200 Hazard Communication Standard.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS • Not classified

2.2 Label elements

WHMIS • No label element(s) required

2.3 Other hazards

WHMIS • In Canada, the product mentioned above is not considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

| Composition | | | | | |
|---------------|-------------|---|-----------|---|----------|
| Chemical Name | Identifiers | % | LD50/LC50 | Classifications According to Regulation/Directive | Comments |

| | | | | | |
|--------------------|-----|------|-----|---|-----|
| Bacterial cultures | NDA | 2-8% | NDA | EU DSD/DPD: Xi R36/37 EU CLP: Eye Irrit 2, H319; STOT SE 3: Resp. Irrit., H335 OSHA HCS 2012: Eye Irrit. 2; STOT SE 3: Resp. Irrit. | NDA |
|--------------------|-----|------|-----|---|-----|

See Section 11 for Toxicological Information. See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

- Inhalation**
- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if discomfort occurs.
- Skin**
- In case of contact with substance, immediately flush skin with running water and soap for several minutes. Get medical attention immediately if discomfort occurs.
- Eye**
- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Ingestion**
- If large quantities have been ingested, give 3 to 4 glasses of water. Do NOT induce vomiting. Seek medical attention if discomfort occurs.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to Physician**
- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

- Suitable Extinguishing Media**
- Foam, CO₂, dry chemical, water spray, alcohol foam - chosen based on nature of the surrounding fire.
- Unsuitable Extinguishing Media**
- None known.

5.2 Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- None known.
- Hazardous Combustion Products**
- None known.

5.3 Advice for firefighters

- Structural firefighters' protective clothing will only provide limited protection. Wear positive pressure self-contained breathing apparatus (SCBA). Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions** • Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- Emergency Procedures** • Keep unauthorized personnel away.

6.2 Environmental precautions

- Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

- Containment/Clean-up Measures** • Dike and control spill. Absorb with an inert material and transfer all material into a properly labeled container for disposal. Wear appropriate protective clothing.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

- Handling** • Read the entire label before using the product. Keep out of reach of children.

7.2 Conditions for safe storage, including any incompatibilities

- Storage** • Store at moderate temperatures. Storage Temperature: 120F Max, 35F Min, Indoor. Always store material in its original container. Keep container tightly closed.

7.3 Specific end use(s)

- Septic System Treatment

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

| Exposure Limits/Guidelines | | |
|----------------------------|----------------|----------------|
| Result | Canada Ontario | United Kingdom |
| | | |

8.2 Exposure controls

- Engineering Measures/Controls** • Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

- Respiratory** • In case of insufficient ventilation, wear suitable respiratory equipment.

- Eye/Face** • Wear protective eyewear (goggles, face shield, or safety glasses).
- Skin/Body** • Wear appropriate gloves.
- General Industrial Hygiene** • Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes or on skin or clothing. Handle in accordance with good industrial hygiene and safety practice.
- Considerations**
- Environmental Exposure Controls** • Follow best practice for site management and disposal of waste.

Key to abbreviations

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

| Material Description | | | |
|-------------------------------------|---------------------|------------------------|------------------------------------|
| Physical Form | Liquid | Appearance/Description | Clear blue liquid with fresh scent |
| Color | Clear blue | Odor | Fresh scent. |
| Odor Threshold | Data not determined | | |
| General Properties | | | |
| Boiling Point | Data not determined | Melting Point | Data not determined |
| Decomposition Temperature | Data not determined | pH | 9.1 to 9.5 |
| Specific Gravity/Relative Density | 1.004 Water=1 | Water Solubility | Soluble |
| Viscosity | Non-viscous | Explosive Properties | Not explosive. |
| Oxidizing Properties: | Not an oxidizer. | | |
| Volatility | | | |
| Vapor Pressure | Data not determined | Vapor Density | Data not determined |
| Evaporation Rate | Data not determined | | |
| Flammability | | | |
| Flash Point | Not flammable | UEL | Data not determined |
| LEL | Data not determined | Autoignition | Data not determined |
| Flammability (solid, gas) | Not Flammable. | | |
| Environmental | | | |
| Octanol/Water Partition coefficient | Data not determined | | |

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Incompatible materials.

10.5 Incompatible materials

- Strong acids, alkali, and halogen compounds. Oxidizing agents such as chlorine bleach and hydrogen peroxide and

disinfectants.

10.6 Hazardous decomposition products

- Oxides of carbon.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

| Components | | |
|--------------------------|-------------|---|
| Proprietary (0% TO 3.5%) | Proprietary | Acute Toxicity: Ingestion/Oral-Rat LD50 • 10 g/kg; Irritation: Eye-Rabbit • 100 mg 24 Hour(s) • Moderate irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation |

| GHS Properties | Classification |
|-------------------------------|---|
| Acute toxicity | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| Aspiration Hazard | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| Carcinogenicity | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| Germ Cell Mutagenicity | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| Skin corrosion/Irritation | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| Skin sensitization | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| STOT-RE | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| STOT-SE | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| Toxicity for Reproduction | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| Respiratory sensitization | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |
| Serious eye damage/Irritation | EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met |

Route(s) of entry/exposure • Inhalation, Skin, Eye, and Ingestion

Potential Health Effects

Inhalation

Acute (Immediate) • Under normal conditions of use, no health effects are expected.

Chronic (Delayed) • Repeated and prolonged exposure may cause sensitization of the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin

Acute (Immediate) • Under normal conditions of use, no health effects are expected. May cause allergenic skin reaction.

Chronic (Delayed) • Prolonged skin contact may cause reddening of skin with irritation leading potentially to

dermatitis.

Eye

Acute (Immediate) • Direct contact with eyes may cause irritation.

Chronic (Delayed) • Direct contact with eyes for a prolonged period of time may cause irritation.

Ingestion

Acute (Immediate) • Under normal conditions of use, no health effects are expected.

Chronic (Delayed) Data not determined.

Carcinogenic Effects • The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP and IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Key to abbreviations

LD = Lethal Dose

MOD = Moderate

Section 12 - Ecological Information

12.1 Toxicity

- Data not determined.

12.2 Persistence and degradability

- Data not determined.

12.3 Bioaccumulative potential

- Data not determined

12.4 Mobility in Soil

- Data not determined.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

| | 14.1 UN number | 14.2 UN proper shipping name | 14.3 Transport hazard class(es) | 14.4 Packing group | 14.5 Environmental hazards |
|-----------|----------------|------------------------------|---------------------------------|--------------------|----------------------------|
| DOT | NDA | Not regulated | NDA | NDA | NDA |
| TDG | NDA | Not regulated | NDA | NDA | NDA |
| IMO/IMDG | NDA | Not regulated | NDA | NDA | NDA |
| ADR/RID | NDA | Not regulated | NDA | NDA | NDA |
| IATA/ICAO | NDA | Not regulated | NDA | NDA | NDA |

14.6 Special precautions for user

- None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**SARA Hazard Classifications**

- Not classified

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H226 - Flammable liquid and vapour
- H302 - Harmful if swallowed
- H315 - May cause skin irritation
- H317 - May cause an allergic skin reaction
- H318 - May cause serious eye damage
- H319 - May cause serious eye irritation
- H335 - May cause respiratory irritation
- R10 - Flammable.
- R22 - Harmful if swallowed.
- R36 - Irritating to eyes.
- R36/37 - Irritating to eyes and respiratory system.
- R36/37/38 - Irritating to eyes, respiratory system and skin.
- R41 - Risk of serious damage to eyes.
- R43 - May cause sensitization by skin contact.

Last Revision Date

- 15/January/2022

Preparation Date

- 18/January/2013

Disclaimer/Statement of Liability

- The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. It is the responsibility of the end user to determine the applicability and use of this material prior to its use. Consult with your HSE officer prior to use of this or any other product. Always wear the proper PPE when handling chemicals.

Instant Power® Septic System & Cesspool Treatment

NDA = No data available
